Same period Change since

NSW

Same period

More information is available on BHI's interactive portal at www.bhi.nsw.gov.au/healthcare_observer

From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Emergency department (ED) overview

October to December 2016

	last year	one year ago
All presentations: ¹ 6,903 patients	6,256	10.3%
Emergency presentations: ² 6,746 patients	6,083	10.9%

Kempsey Hospital: Time patients waited to start treatment³

October to December 2016

	last year	(this period)
Triage 2 Emergency (e.g. chest pain, severe burns): 843 patients	619	
Median time to start treatment ⁴	11 minutes	8 minutes
90th percentile time to start treatment ⁵ 32 minutes	26 minutes	26 minutes
Triage 3 Urgent (e.g. moderate blood loss, dehydration): 2,236 patients	2,057	
Median time to start treatment ⁴ 24 minutes	20 minutes	20 minutes
90th percentile time to start treatment ⁵ 61 minutes	55 minutes	67 minutes
Triage 4 Semi-urgent (e.g. sprained ankle, earache): 2,894 patients	2,717	
Median time to start treatment ⁴ 28 minutes	20 minutes	25 minutes
90th percentile time to start treatment ⁵	76 minutes	97 minutes
Triage 5 Non-urgent (e.g. small cuts or abrasions): 749 patients	666	
Median time to start treatment ⁴ 28 minutes	17 minutes	24 minutes
90th percentile time to start treatment ⁵ 92 minutes	78 minutes	103 minutes

Kempsey Hospital: Time from presentation until leaving the ED

October to December 2016

Attendances used to calculate time to leaving the ED:6 6,899 patients

Percentage of patients who spent four hours or less in the ED 82.2%

Same period	Change since
last year	one year ago
6,253	10.3%
84.5%	

- * Suppressed due to small number of patients and to protect privacy. Relevant graphs are also suppressed.
- 1. All emergency and non-emergency attendances at the emergency department (ED).
- 2. All attendances that have a triage category and are coded as emergency presentations or unplanned return visits.
- 3. Some patients are excluded from ED time measures due to calculation requirements. For details, see the *Technical Supplement: Emergency department measures, January to March 2016.*
- 4. The median is the time by which half of patients started treatment. The other half of patients waited equal to or longer than this time.
- 5. The 90th percentile is the time by which 90% of patients started treatment. The final 10% of patients waited equal to or longer than this time.
- 6. All presentations that have a departure time.


Note: Presentation time is the earlier time recorded for clerical registration or the triage process. Treatment time is the earliest time recorded when a healthcare professional provides medical care relevant to the patient's presenting problems.

Source: Health Information Exchange, NSW Health (extracted 24 January 2017).


From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Patients presenting to the emergency department

October to December 2016



Emergency presentations² by quarter, October 2011 to December 2016 [‡]



2,230

2,151

431

5,333

2,055

2,311

433

5,374

2,010

2,254

5,353

463

2,164

2,295

590

5,650

2,057

2,717

6,083

2,236

2,894

6,746

749

Same period Change since

Kempsey Hospital: Patients arriving by ambulance

October to December 2016

All emergency presentations

Urgent

Semi-urgent

Non-urgent

		last year	one year ago
Arrivals used to calculate transfer of care time: 7 840 patients			
ED Transfer of care time			
Median time	12 minutes	14 minutes	-2 minutes
90th percentile time	24 minutes	37 minutes	-13 minutes

^(†) Data points are not shown in graphs for quarters when patient numbers are too small.

^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after trans For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.


From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Time patients waited to start treatment, triage 2

October to December 2016

Triage 2 Emergency (e.g. chest pain, severe burns)	last year	(this period)
Number of triage 2 patients: 843	619	
Number of triage 2 patients used to calculate waiting time: ³ 839	619	
Median time to start treatment ⁴ 12 minutes	11 minutes	8 minutes
90th percentile time to start treatment ⁵ 32 minutes	26 minutes	26 minutes

Percentage of triage 2 patients who received treatment by time, October to December 2016



Time patients waited to start treatment(minutes) for triage 2 patients, October 2011 to December 2016



 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.

^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after trans For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.


From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Time patients waited to start treatment, triage 3

October to December 2016

Triage 3 Urgent (e.g. moderate blood loss, dehydration)	last year	(this period)
Number of triage 3 patients: 2,236	2,057	
Number of triage 3 patients used to calculate waiting time: 3 2,198	2,018	
Median time to start treatment ⁴ 24 minutes	20 minutes	20 minutes
90th percentile time to start treatment ⁵ 61 minutes	55 minutes	67 minutes

Percentage of triage 3 patients who received treatment by time, October to December 2016



Time patients waited to start treatment(minutes) for triage 3 patients, October 2011 to December 2016



	2011	2012	2013	2014	2015	2016
Median time to start treatment ⁴ (minutes)	20	22	20	19	20	24
90th percentile time to start treatment ⁵ (minutes)	60	67	62	49	55	61

 $^{(\}dagger) \quad \text{Data points are not shown in graphs for quarters when patient numbers are too small}.$

^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after trans For more information, see Background Paper:


Approaches to reporting time measures of emergency department performance, December 2011.

From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Time patients waited to start treatment, triage 4 October to December 2016

Triage 4 Semi-urgent (e.g. sprained anl	de, earache)	Same period last year	NSW (this period)
Number of triage 4 patients: 2,894		2,717	
Number of triage 4 patients used to calcu	late waiting time: ³ 2,780	2,615	
Median time to start treatment ⁴	28 minutes	20 minutes	25 minutes
90th percentile time to start treatment ⁵	95 minutes	76 minutes	97 minutes

Percentage of triage 4 patients who received treatment by time, October to December 2016



Time patients waited to start treatment(minutes) for triage 4 patients, October 2011 to December 2016



 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.

^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after trans For more information, see Background Paper:


Approaches to reporting time measures of emergency department performance, December 2011.

From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Time patients waited to start treatment, triage 5 October to December 2016

Triage 5 Non-urgent (e.g. small cuts or abrasions)	Same period last year	NSW (this period)
Number of triage 5 patients: 749	666	
Number of triage 5 patients used to calculate waiting time: ³ 669	603	
Median time to start treatment ⁴ 28 minutes	17 minutes	24 minutes
90th percentile time to start treatment ⁵ 92 minutes	78 minutes	103 minutes

Percentage of triage 5 patients who received treatment by time, October to December 2016



Time patients waited to start treatment(minutes) for triage 5 patients, October 2011 to December 2016^{†‡}



 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.

^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after trans For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.

NSW

Same period

More information is available on BHI's interactive portal at www.bhi.nsw.gov.au/healthcare_observer


From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Time patients spent in the ED


October to December 2016

(this period) last vear All presentations: 6,903 patients 6,256 Presentations used to calculate time to leaving the ED: 6,899 patients 6,253 1 hours and 2 hours and Median time spent in the ED 8 1 hours and 59 minutes 48 minutes 41 minutes 4 hours and 6 hours and 90th percentile time spent in the ED 9 5 hours and 16 minutes 59 minutes 54 minutes

Percentage of patients who left the ED by time, October to December 2016



Time patients spent in the ED, by quarter, October 2011 to December 2016



 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.


^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after trans For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.


From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Time patients spent in the ED

By mode of separation October to December 2016



Percentage of patients who left the ED by time and mode of separation, October to December 2016



1 hour 2 hours 3 hours 4 hours 6 hours 8 hours 10 hours 12 hours

Treated and discharged	25.9%	57.9%	77.6%	89.8%	97.3%	98.9%	99.3%	99.8%
Treated and admitted to hospital	2.1%	5.7%	15.6%	34.8%	66.2%	80.1%	85.5%	90.2%
Patient left without, or before completing, treatment	27.1%	63.9%	80.8%	93.3%	98.0%	99.2%	99.6%	99.6%
Transferred to another hospital	1.2%	7.8%	20.0%	35.4%	59.7%	77.1%	84.6%	90.4%
All presentations	22.6%	50.9%	69.2%	82.2%	92.6%	96.1%	97.3%	98.4%

 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.

^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after trans For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.

From March 2017, Hospital Quarterly reports the 90th percentile time, rather than the 95th percentile time, for related ED measures.

Kempsey Hospital: Time spent in the ED

Percentage of patients who spent four hours or less in the ED

October to December 2016

All presentations at the emergency department: 6,903 patients


Presentations used to calculate time to leaving the ED:6 6,899 patients

Percentage of patients who spent four hours or less in the ED

82.2%

	Change since one year ago
6,256	10.3%
6,253	10.3%
84 5%	

Percentage of patients who spent four hours or less in the ED, by quarter, October 2011 to December 2016 11



- * Suppressed due to small numbers and to protect privacy. Relevant graphs are also suppressed.
- † Data points are not shown in graphs for quarters when patient numbers were too small.
- 1. All emergency and non-emergency presentations at the emergency department (ED).
- 2. All presentations that have a triage category and are coded as emergency presentations or unplanned return visits.
- 3. Some patients are excluded from ED time measures due to calculation requirements. For details, see the *Technical Supplement: Emergency department measures, January to March 2016.*
- 4. The median is the time by which half of patients started treatment. The other half of patients took equal to or longer than this time.
- 5. The 90th percentile is the time by which 90% of patients started treatment. The final 105% of patients took equal to or longer than this time.
- 6. All presentations that have a departure time.
- 7. Transfer of care time refers to the period between arrival of patients at the ED by ambulance and the transfer of responsibility for their care from paramedics to ED staff in an ED treatment zone. For more information see Spotlight on Measurement: measuring transfer of care from the ambulance to the emergency department.
- 8. The median is the time by which half of patients left the ED. The other half of patients took equal to or longer than this time.
- 9. The 90th percentile is the time by which 90% of patients left the ED. The final 10% of patients took equal to or longer than this time.

Note: Presentation time is the earlier of times recorded for the start of clerical registration or the triage process.

Treatment time is the earliest time recorded when a healthcare professional provides medical care that is relevant to the patient's presenting problems. For patients who were treated and discharged, departure time is the time when treatment was completed. For all other patients, departure time is the time when the patient actually left the ED.

Note: All percentages are rounded and therefore percentages may not add to 100%.

Sources: ED data from Health Information Exchange, NSW Health (extracted 24 January 2017).

Transfer of care data from Transfer of Care Reporting System (extracted 24 January 2017).