NSW

Sydney/Sydney Eye Hospital: Emergency department (ED) overview April to June 2017

All presentations: 7,188 patients
Emergency presentations: 6,900 patients

	Change since one year ago
9,577	-24.9%
7.066	-2 3%

Same period

Sydney/Sydney Eye Hospital: Time patients waited to start treatment³

April to June 2017

	last year	(this period)
Triage 2 Emergency (e.g. chest pain, severe burns): 97 patients	116	
Median time to start treatment ⁴ 8 minutes	7 minutes	8 minutes
90th percentile time to start treatment ⁵	15 minutes	26 minutes
Triage 3 Urgent (e.g. moderate blood loss, dehydration): 805 patients	1,012	
Median time to start treatment ⁴ 20 minutes	22 minutes	20 minutes
90th percentile time to start treatment ⁵ 43 minutes	48 minutes	67 minutes
Triage 4 Semi-urgent (e.g. sprained ankle, earache): 3,930 patients	4,102	
Median time to start treatment ⁴ 25 minutes	29 minutes	25 minutes
90th percentile time to start treatment ⁵ 68 minutes	77 minutes	99 minutes
Triage 5 Non-urgent (e.g. small cuts or abrasions): 2,068 patients	1,836	
Median time to start treatment ⁴ 30 minutes	33 minutes	23 minutes
90th percentile time to start treatment ⁵	95 minutes	101 minutes

Sydney/Sydney Eye Hospital: Time from presentation until leaving the ED April to June 2017

Attendances used to calculate time to leaving the ED:6 7,187 patients

Percentage of patients who spent four hours or less in the ED 86.4

	one year ago
9,568	-24.9%
91.4%	


- * Suppressed due to small number of patients and to protect privacy. Relevant graphs are also suppressed.
- 1. All emergency and non-emergency attendances at the emergency department (ED).
- 2. All attendances that have a triage category and are coded as emergency presentations or unplanned return visits.
- 3. Some patients are excluded from ED time measures due to calculation requirements. For details, see the *Technical Supplement: Emergency department measures, July to September 2016.*
- 4. The median is the time by which half of patients started treatment. The other half of patients waited equal to or longer than this time.
- 5. The 90th percentile is the time by which 90% of patients started treatment. The final 10% of patients waited equal to or longer than this time.
- 6. All presentations that have a departure time.

Note: Presentation time is the earlier time recorded for clerical registration or the triage process. Treatment time is the earliest time recorded when a healthcare professional provides medical care relevant to the patient's presenting problems.


Source: Health Information Exchange, NSW Health (extracted 21 July 2017).

Sydney/Sydney Eye Hospital: Patients presenting to the emergency department

April to June 2017



Emergency presentations² by quarter, April 2012 to June 2017 [‡]



Sydney/Sydney Eye Hospital: Patients arriving by ambulance

3,546

6,933

3,543

2.993

7,277

3,490

6,960

3,433

6,981

3,160

6,708

3,580

7,043

4,102

7.066

Same period Change since

3,930

2.068

6,900

April to June 2017

All emergency presentations

Semi-urgent

Non-urgent

		last year	one year ago
Arrivals used to calculate transfer	of care time: 7 663 patients	664	
ED Transfer of care time			
Median time	8 minutes	8 minutes	0 minutes
90th percentile time	17 minutes	16 minutes	1 minute

^(†) Data points are not shown in graphs for quarters when patient numbers are too small.


^(±) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after transition to a new information system is not directly comparable. For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.


Sydney/Sydney Eye Hospital: Time patients waited to start treatment, triage 2 April to June 2017

Triage 2 Emergency (e.g. chest pain, severe burns)	Same period last year	NSW (this period)
Number of triage 2 patients: 97	116	
Number of triage 2 patients used to calculate waiting time: ³ 93		
Median time to start treatment ⁴ 8 minutes	7 minutes	8 minutes
90th percentile time to start treatment ⁵ *	15 minutes	26 minutes

Percentage of triage 2 patients who received treatment by time, April to June 2017



Time patients waited to start treatment(minutes) for triage 2 patients, April 2012 to June 2017 †‡



	Apr-Jun 2010	Apr-Jun 2011	Apr-Jun 2012	Apr-Jun 2013	Apr-Jun 2014	Apr-Jun 2015	Apr-Jun 2016	Apr-Jun 2017
Median time to start treatment ⁴ (minutes)	6	7	6	8	7	7	7	8
90th percentile time to start treatment ⁵ (minutes)	15	*	*	*	*	18	15	*

 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.

^(±) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after transition to a new information system is not directly comparable. For more information, see Background Paper:


Approaches to reporting time measures of emergency department performance, December 2011.

Sydney/Sydney Eye Hospital: Time patients waited to start treatment, triage 3


April to June 2017

Triage 3 Urgent (e.g. moderate blood loss, dehydration)	Same period last year	NSW (this period)
Number of triage 3 patients: 805	1,012	
Number of triage 3 patients used to calculate waiting time: ³ 794	990	
Median time to start treatment ⁴ 20 minutes	22 minutes	20 minutes
90th percentile time to start treatment ⁵ 43 minutes	48 minutes	67 minutes

Percentage of triage 3 patients who received treatment by time, April to June 2017



Time patients waited to start treatment(minutes) for triage 3 patients, April 2012 to June 2017 †‡



	Apr-Jun 2010	Apr-Jun 2011	Apr-Jun 2012	Apr-Jun 2013	Apr-Jun 2014	Apr-Jun 2015	Apr-Jun 2016	Apr-Jun 2017
Median time to start treatment ⁴ (minutes)	16	15	15	17	15	18	22	20
90th percentile time to start treatment ⁵ (minutes)	37	35	35	39	31	40	48	43

 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.


^(±) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after transition to a new information system is not directly comparable. For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.


Sydney/Sydney Eye Hospital: Time patients waited to start treatment, triage 4 April to June 2017

Triage 4 Semi-urgent (e.g. sprained ankle, earache)	Same period last year	NSW (this period)
Number of triage 4 patients: 3,930	4,102	
Number of triage 4 patients used to calculate waiting time: 3,856	4,028	
Median time to start treatment ⁴ 25 minutes	29 minutes	25 minutes
90th percentile time to start treatment ⁵ 68 minutes	77 minutes	99 minutes

Percentage of triage 4 patients who received treatment by time, April to June 2017



Time patients waited to start treatment(minutes) for triage 4 patients, April 2012 to June 2017 †‡



	Apr-Jun 2010	Apr-Jun 2011	Apr-Jun 2012	Apr-Jun 2013	Apr-Jun 2014	Apr-Jun 2015	Apr-Jun 2016	Apr-Jun 2017
Median time to start treatment ⁴ (minutes)	20	21	20	20	18	22	29	25
90th percentile time to start treatment ⁵ (minutes)	61	63	51	53	48	61	77	68

 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.


^(±) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after transition to a new information system is not directly comparable. For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.


Sydney/Sydney Eye Hospital: Time patients waited to start treatment, triage 5 April to June 2017

Triage 5 Non-urgent (e.g. small cuts or abrasions)	Same period last year	NSW (this period)
Number of triage 5 patients: 2,068	1,836	
Number of triage 5 patients used to calculate waiting time: 3 1,923	1,682	
Median time to start treatment ⁴ 30 minutes	33 minutes	23 minutes
90th percentile time to start treatment ⁵ 87 minutes	95 minutes	101 minutes

Percentage of triage 5 patients who received treatment by time, April to June 2017



Time patients waited to start treatment(minutes) for triage 5 patients, April 2012 to June 2017 †‡



	Apr-Jun 2010	Apr-Jun 2011	Apr-Jun 2012	Apr-Jun 2013	Apr-Jun 2014	Apr-Jun 2015	Apr-Jun 2016	Apr-Jun 2017
Median time to start treatment ⁴ (minutes)	22	22	24	22	20	27	33	30
90th percentile time to start treatment ⁵ (minutes)	55	68	68	63	61	74	95	87

 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.

^(±) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after transition to a new information system is not directly comparable. For more information, see Background Paper:

Approaches to reporting time measures of emergency department performance, December 2011.

4 hours and 32 minutes

Sydney/Sydney Eye Hospital: Time patients spent in the ED

April to June 2017

All presentations: 7,188 patients


Presentations used to calculate time to leaving the ED:⁶ 7,187 patients

Median time spent in the ED ⁸ 2 hours and 14 minutes


90th percentile time spent in the ED 9



Percentage of patients who left the ED by time, April to June 2017



Time patients spent in the ED, by quarter, April 2012 to June 2017 †‡




 $^{(\}dagger)$ Data points are not shown in graphs for quarters when patient numbers are too small.

^(‡) Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after transition to a new information system is not directly comparable. For more information, see Background Paper:


Approaches to reporting time measures of emergency department performance, December 2011.

Sydney/Sydney Eye Hospital: Time patients spent in the ED

By mode of separation April to June 2017



Percentage of patients who left the ED by time and mode of separation, April to June 2017 ^{†‡}



1 hour 2 hours 3 hours 4 hours 6 hours 8 hours 10 hours 12 hours

Treated and discharged	10.5%	41.4%	67.8%	86.4%	97.0%	99.5%	99.9%	99.9%
Treated and admitted to hospital	21.4%	32.1%	39.3%	50.0%	67.9%	85.7%	92.9%	96.4%
Patient left without, or before completing, treatment	45.1%	70.5%	84.2%	95.4%	99.4%	99.8%	100%	100%
Transferred to another hospital	7.4%	18.9%	32.6%	42.1%	70.5%	87.4%	96.8%	96.8%
All presentations	13.3%	43.5%	68.5%	86.4%	96.7%	99.3%	99.8%	99.9%

^(†) Data points are not shown in graphs for quarters when patient numbers are too small.

Caution is advised when interpreting abrupt changes over time at the hospital level. For example, performance before and after transition to a new information system is not directly comparable. For more information, see Background Paper: Approaches to reporting time measures of emergency department performance, December 2011.

Sydney/Sydney Eye Hospital: Time spent in the ED Percentage of patients who spent four hours or less in the ED April to June 2017

All presentations at the emergency department: ¹ 7,188 patients


Presentations used to calculate time to leaving the ED: ⁶ 7,187 patients

Percentage of patients who spent four hours or less in the ED

86.4%

one year ago	
-24.9%	9,577
-24.9%	9,568
	91.4%

Percentage of patients who spent four hours or less in the ED, by quarter, April 2012 to June 2017 †‡



- * Suppressed due to small numbers and to protect privacy. Relevant graphs are also suppressed.
- † Data points are not shown in graphs for quarters when patient numbers were too small.
- ${\bf 1.} \quad {\bf All \ emergency \ and \ non-emergency \ presentations \ at \ the \ emergency \ department} \ ({\bf ED}).$
- 2. All presentations that have a triage category and are coded as emergency presentations or unplanned return visits.
- 3. Some patients are excluded from ED time measures due to calculation requirements. For details, see the *Technical Supplement: Emergency department measures, July to September 2016.*
- 4. The median is the time by which half of patients started treatment. The other half of patients took equal to or longer than this time.
- 5. The 90th percentile is the time by which 90% of patients started treatment. The final 105% of patients took equal to or longer than this time.
- 6. All presentations that have a departure time.
- 7. Transfer of care time refers to the period between arrival of patients at the ED by ambulance and the transfer of responsibility for their care from paramedics to ED staff in an ED treatment zone. For more information see Spotlight on Measurement: measuring transfer of care from the ambulance to the emergency department.
- 8. The median is the time by which half of patients left the ED. The other half of patients took equal to or longer than this time.
- 9. The 90th percentile is the time by which 90% of patients left the ED. The final 10% of patients took equal to or longer than this time.

Note: Presentation time is the earlier of times recorded for the start of clerical registration or the triage process.

Treatment time is the earliest time recorded when a healthcare professional provides medical care that is relevant to the patient's presenting problems. For patients who were treated and discharged, departure time is the time when treatment was completed. For all other patients, departure time is the time when the patient actually left the ED.

Note: All percentages are rounded and therefore percentages may not add to 100%.

Sources: ED data from Health Information Exchange, NSW Health (extracted 21 July 2017).

Transfer of care data from Transfer of Care Reporting System (extracted 21 July 2017).