

Performance Profiles

Chronic Disease Care: Another piece of the picture


Far West Local Health District

Hospitalisations and unplanned readmissions for Chronic Obstructive Pulmonary Disease (COPD) and Congestive Heart Failure (CHF)

July 2009 to June 2010

The Insights Series

Volume 2, PART 2




Far West LHD: Hospitalisation patterns for adults living in the LHD

July 2009 to June 2010

	Number
Adults with COPD alive at start of 2009-101	289
Those who died from any cause during 2009–10	35
Adults with COPD alive at end of 2009–10	254

	All-Cause		COPD-principal diagnosis	
Adults with COPD alive at end of 2009-10 ² had:	Number (%)	Bed days (%)	Number (%)	Bed days (%)
0 hospitalisations	147 (58%)		231 (91%)	
1 hospitalisation	46 (18%)	475 (26%)	18 (7%)	136 (54%)
2 hospitalisations	24 (9%)	421 (23%)	* (1%)	15 (6%)
3+ hospitalisations	37 (15%)	926 (51%)	* (1%)	102 (40%)

Far West LHD: COPD hospitalisations and associated bed days among adults with COPD July 2009 to June 2010



Percentage of COPD bed days used by adults with COPD (253 bed days)

- 1. Adults resident in the LHD admitted into any NSW hospital (excluding Albury Base Hospital) between July 2005 and June 2009, with COPD listed in the first 20 diagnostic codes were analysed for hospitalisations in 2009–10.
- 2. Episodes of care for which COPD was coded as the principal diagnosis (ICD codes are listed on page 26). If two episodes of care with primary diagnosis of COPD were separated only by a type change separation or a transfer, then these two episodes were treated as one hospitalisation. Excludes hospitalisations for dialysis.
- 3. Only Principal Referral, B Metropolitan and B Non-Metropolitan hospital results are tabulated. All other public hospitals in the LHD are included in 'Other'. For private hospital data, see Chronic Disease Care: Another piece of the picture.
- 4. Discharges followed by unplanned readmissions for COPD to any NSW hospital within 28 days, per 100 total COPD principal diagnosis hospitalisations.
- 5. Rate per 100 discharges standardised for age and sex.
- 6. Percentage of hospitalisations with DRG code catastrophic or severe comorbidities or complications.
- 7. Percentage of hospitalisations that were for adults living in the most socioeconomically disadvantaged quintile.
- (*) Suppressed due to small numbers or relative standard error ≥40%.
- (†) Interpret with caution: relative standard error ≥30% and <40%.


Note: 79 of the adults alive at the end of 2009–10 had both COPD and CHF.

Source: HOIST, Centre for Epidemiology and Evidence, NSW Ministry of Health. Data extracted 8 August, 2011.

Far West LHD hospitals³: COPD hospitalisations, readmissions within 28 days and context July 2009 to June 2010

	Number of COPD hospitalisations ²	Crude readmission rate ⁴	Standardised readmission rate ⁵	Percent coded as severe ⁶	Percent most disadvantaged quintile ⁷
Far West Local Health District (FWL)	HD)				
Other FWLHD	113	8.0	6.2 [†]	28	95
Total FWLHD	113	8.0	6.2 [†]	28	95
Total NSW	17,469	13.0	13.0	34	31

Far West LHD hospitals: Unplanned readmissions within 28 days relative to NSW rate July 2009 to June 2010



Far West LHD: Hospitalisation patterns for adults living in the LHD

July 2009 to June 2010


		Number
Adults with CHF alive at start of 2009-101		281
Those who died from any cause during 2009-10		45
Adults with CHF alive at end of 2009-10		236
	All-cause	CHF-principal diagnosis

	All-C	cause	CHF-princi	pai diagnosis
Adults with CHF alive at end of 2009-10 ² had:	Number (%)	Bed days (%)	Number (%)	Bed days (%)
0 hospitalisations	131 (56%)		222 (94%)	
1 hospitalisation	46 (19%)	265 (20%)	10 (4%)	78 (43%)
2 hospitalisations	29 (12%)	276 (21%)	* (1%)	42 (23%)
3+ hospitalisations	30 (13%)	780 (59%)	* (1%)	60 (33%)

Far West LHD: CHF hospitalisations and associated bed days among adults with CHF July 2009 to June 2010



Percentage of adults with CHF by number of hospitalisations (236 patients)



Percentage of CHF bed days used by adults with CHF (180 bed days)

- 1. Adults resident in the LHD admitted into any NSW hospital (excluding Albury Base Hospital) between July 2005 and June 2009, with CHF listed in the first 20 diagnostic codes were analysed for hospitalisations in 2009–10.
- 2. Episodes of care for which CHF was coded as the principal diagnosis (ICD codes are listed on page 26). If two episodes of care with primary diagnosis of CHF were separated only by a type change separation or a transfer, then these two episodes were treated as one hospitalisation. Excludes hospitalisations for dialysis.
- 3. Only Principal Referral, B Metropolitan and B Non-Metropolitan hospital results are tabulated. All other public hospitals in the LHD are included in 'Other'. For private hospital data, see Chronic Disease Care: Another piece of the picture.
- 4. Discharges followed by unplanned readmissions for CHF to any NSW hospital within 28 days, per 100 total CHF principal diagnosis hospitalisations.
- 5. Rate per 100 discharges standardised for age and sex.
- 6. Percentage of hospitalisations with DRG code catastrophic or severe comorbidities or complications.
- 7. Percentage of hospitalisations that were for adults living in the most socioeconomically disadvantaged quintile.
- (*) Suppressed due to small numbers or relative standard error ≥40%.
- (†) Interpret with caution: relative standard error ≥30% and <40%.


Note: 79 of the adults alive at the end of 2009–10 had both COPD and CHF.

Source: HOIST, Centre for Epidemiology and Evidence, NSW Ministry of Health. Data extracted 8 August, 2011.

Far West LHD hospitals3: CHF hospitalisations, readmissions within 28 days and context July 2009 to June 2010

	Number of CHF hospitalisations ²	Crude readmission rate ⁴	Standardised readmission rate ⁵	Percent coded as severe ⁶	Percent most disadvantaged quintile ⁷
Far West Local Health District (FWL)	HD)				
Other FWLHD	64	9.4	*	22	98
Total FWLHD	64	9.4	*	22	98
Total NSW	11,088	8.8	8.8	26	27

Far West LHD hospitals: Unplanned readmissions within 28 days relative to NSW rate July 2009 to June 2010



Download our reports

The report, Chronic Disease Care: Another piece of the picture - hospitalisations and unplanned readmissions for chronic obstructive pulmonary disease (COPD) and congestive heart failure (CHF), July 2009 to June 2010, and related reports are available at www.bhi.nsw.gov.au

The suite of products includes:

- The main report presenting new insights into care for adults with COPD and CHF
- Performance Profiles (hospitalisation patterns, and readmissions for 16 Local Health Districts)
- Technical Supplement (presenting research methods and statistical analyses)
- The preceding report, Chronic Disease
 Care (PART 1), presenting information
 about the number of potentially avoidable
 admissions for COPD and CHF.



About the Bureau

The Bureau of Health Information provides the community, healthcare professionals and the NSW Parliament with timely, accurate and comparable information on the performance of the NSW public health system in ways that enhance the system's accountability and inform efforts to increase its beneficial impact on the health and wellbeing of the people of NSW.

The Bureau is an independent, board-governed statutory health corporation. The conclusions in this report are those of the Bureau and no official endorsement by the NSW Minister for Health, the NSW Ministry of Health or any other NSW statutory health corporation is intended or should be inferred.

To contact the Bureau of Health Information

Telephone: +61 2 8644 2100

Fax: +61 2 8644 2119

Email: enquiries@bhi.nsw.gov.au Web: www.bhi.nsw.gov.au

Postal address:

PO Box 1770 Chatswood New South Wales 2057 Australia

Business address:

Zenith Centre Tower A 821 Pacific Highway Chatswood New South Wales 2067 Australia